

Lucky Jams LLC

1431 S Kingsway Rd Unit 7211 Seffner, FL 33584
(817) 723-2416
Project 07/09/2024

Seed to Sale: N/A
Retail Batch#: N/A
Cultivar: N/A
Cultivation Facility: N/A
Processing Facility: N/A
Sampling: SOP 21

COMPLIANCE FOR RETAIL

Sample Name: Canna-Based: Durban Posion

Lab Sample ID: F407077-01
Retail Batch Total Wt/Vol: N/A
Retail Batch Date: N/A

Matrix: Inhalable Flower
Retail Batch Total Units: N/A
Total Wt, Vol or Unit Sampled: 1

Date Sampled: 07/09/2024
Date Received: 07/09/2024
Date Reported: 07/16/2024



Terpenes
Not Tested



Heavy Metals
Not Tested



Foreign Materials
Not Tested



Microbiology
Not Tested



Mycotoxins
Not Tested



Residual Solvents
Not Tested




Pesticides
Not Tested



Moisture Content
Pass



Water Activity
Not Tested



0.250%
Total THC

ND%
Total CBD

Potency (Dry-Weight-Corrected)

Cannabinoids

Date Prepared: 07/10/24 13:42 Prep ID: KF Specimen Prep: 1 / 1
Date Analyzed: 07/11/24 21:52 Analyst ID: DH Instrument: HPLC
Lab Batch: B24G020 Prep/Analysis Method: ACCU LAB SOP15

Analyte	Dilution	LOQ	Results	Results
		%	%	mg/g
CBC	40	0.167	ND	ND
CBCA	40	0.167	0.249	2.49
CBD	40	0.167	ND	ND
CBDA	40	0.167	ND	ND
CBDV	40	0.167	ND	ND
CBDVA	40	0.167	ND	ND
CBG	40	0.167	ND	ND
CBGA	40	0.167	0.955	9.55
CBN	40	0.167	ND	ND
delta-8-THC	40	0.167	ND	ND
delta-9-THC	40	0.167	€€33	€33
THCA	400	1.67	€G47	G47
THCV	40	0.167	ND	ND
THCVA	40	0.167	ND	ND

Definitions and Abbreviations used in this report:

Total CBD = CBD + (CBD-A * 0.877), Total THC = THCA-A * 0.877 + Delta 9 THC
LOQ = Limit of Quantitation, LOD = Limit of Detection, DIL = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (N/A) Not Analyzed, (ND) Non-Detect. Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



PJLA
Testing
Accreditation#: 109150

Dr. Harry Behzadi, PhD.
President, CEO

