

Certificate of Analysis

State of FL OMMU License Number: CMTL-006 **ISO/IEC 17025 ACCREDITATION # 109150**



Lucky Jams LLC

1431 S Kingsway Rd Unit 7211 Seffner, FL 33584 (817) 723-2416 Project 07/09/2024

Seed to Sale: N/A Retail Batch#: N/A Cultivar: N/A Cultivation Facility: N/A Processing Facility: N/A Sampling: SOP 21

COMPLIANCE FOR RETAIL

Sample Name: RIP'd: Ice Cream Cake

Lab Sample ID: F407086-01 Matrix: Inhalable Flower Retail Batch Total Wt/Vol: N/A Retail Batch Total Units: N/A Retail Batch Date: N/A Total Wt, Vol or Unit Sampled: 1







Heavy Metals Not Tested



Foreign Materials Not Tested



Microbiology Not Tested



Mvcotoxins Not Tested



Residual Solvents Not Tested



Not Tested



Date Sampled: Date Received:

Date Reported:

Moisture Content Pass



07/09/2024

07/09/2024

07/16/2024

Water Activity Not Tested



0.263% **Total THC**

0.0569% **Total CBD**

Potency (Dry-Weight-Corrected)

Cannabinoids

Date Prepared: 07/10/24 15:02 Date Analyzed: 07/12/24 15:04	Prep ID: KC Analyst ID: DH	Specimen Prep: 1 / 1 Instrument: HPLC Prep/Analysis Method: ACCU LAB SOP15			
Lab Batch: B24F008					P15
Analyte	Dilution	LOQ	Results	Results	
		%	%	mg/g	
CBC	40	0.0424	ND	ND	
CBCA	40	0.0424	0.227	2.27	
CBD	40	0.0424	ND	ND	
CBDA	40	0.0424	0.0649	0.649	
CBDV	40	0.0424	ND	ND	
CBDVA	40	0.0424	ND	ND	
CBG	40	0.0424	0.138	1.38	
CBGA	40	0.0424	0.675	6.75	
CBN	40	0.0424	ND	ND	
delta-8-THC	40	0.0424	ND	ND	
delta-9-THC	400	0.424	0.173	1.73	
THCA	400	0.424	0.103	1.03	
THCV	40	0.0424	ND	ND	
THCVA	40	0.0424	0.0870	0.870	

Definitions and Abbreviations used in this report:

Total CBD = CBD + (CBD-A * 0.877), Total THC = THCA-A * 0.877 + Delta 9 THC LOQ = Limit of Quantitation, LOD = Limit of Detection, DIL = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (μg/g) = Microgram per Gram, (ppm) = Parts per Million, (N/A) Not Analyzed, (ND) Non-Detect. Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

President, CEO

This report shall not be reproduced except in its entirety without the written approval of Accuscience Laboratories. The results of this report relate only to the material or product analyzed. Test ial unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025



Palsoc Dr. Harry Behzadi, PhD.

