

SOUR JKR 1G

Lab Sample Number: F502259-01 - Date reported: October 28, 2025

Client: RIP'd | HOS

Address: 1520 E Gary Road, Lakeland, FL 33801

Phone: (321) 795-7750

Project: Rip'd ZAZA 10-25-2025

Permit Type: 448

Manufacturer Food Entity Number: 423320

Distributor Food Entity Number: 423320

Manufacturer Permit Number: 2026-R-2197557

Distributor Permit Number: 2026-R-2197557

The current and valid permit number for the facility, issued by the appropriate state human health or food safety regulatory authority, is stated above. This permit documents and confirms that the facility meets the authority's human health or food safety sanitation requirements.

Lab Sample Number: F502259-01



Date Sampled: 10/26/2025

Date Received: 09/06/2025

Compliance for Retail

SUMMARY



THC & CBD

POTENCY

Tested




TERPENES

Not Tested



PESTICIDES

Pass



HEAVY METALS

Pass



RESIDUAL SOLVENTS

Pass



MICROBIAL TESTING

Pass



MYCOTOXINS

Pass



MOISTURE CONTENT

Not Tested



FOREIGN MATERIALS


Not Tested



WATER ACTIVITY

Pass

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



PJLA Testing
 Accreditation#: 109150


Dr. Harry Behzadi, PhD.
 President, CEO



SOUR JKR 1G

Lab Sample Number: F502259-01 - Date reported: October 28, 2025

Cannabinoids Summary Profile



18.46%
Total
Cannabinoids

< LOQ
Δ9-THC

0.230%
Total THC

9.78%
Total CBD

Definitions and Abbreviations:

Total CBD = CBD + (CBDA * 0.877), Total THC = Delta 9 THC + (Delta 9 THCA * 0.877), LOQ = Limit of Quantitation, ND = Non-Detect.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.

SOUR JKR 1G

Lab Sample Number: F502259-01 - Date reported: October 28, 2025

Potency (as Received)

Tested

Date Prepared: 09/27/2025
 Date Analyzed: 09/27/2025
 Lab Batch: B25B067

Prep ID: TL
 Analyst ID: DH

Sample Prep: 1.0088 g / 10 mL
 Prep/Analysis Method: ACCU LAB SOP15
 Instrument: HPLC-DAD

| Analyte | CAS Number | Dilution | LOQ % | Results | |
|--|-----------------------------|----------|--------|--------------|-------------|
| | | | | % wet | mg/g |
| Cannabichromene (CBC) | 20675-51-8 | 20 | 0.0800 | 0.253 | 2.53 |
| Cannabichromenic acid (CBCA) | 185505-15-1 | 20 | 0.0800 | 0.102 | 1.02 |
| Cannabidiol (CBD) | 13956-29-1 | 200 | 0.800 | 9.78 | 97.8 |
| Cannabidiolic acid (CBDA) | 1244-58-2 | 20 | 0.0800 | ND | ND |
| Cannabidivarin (CBDV) | 24274-48-4 | 20 | 0.0800 | ND | ND |
| Cannabidivarinic acid (CBDVA) | 31932-13-5 | 20 | 0.0800 | ND | ND |
| Cannabigerol (CBG) | 25654-31-3 | 20 | 0.0800 | 1.42 | 14.2 |
| Cannabigerolic acid (CBGA) | 25555-57-1 | 200 | 0.800 | 6.64 | 66.4 |
| Cannabinol (CBN) | 521-35-7 | 20 | 0.0800 | ND | ND |
| Δ8-Tetrahydrocannabinol (Δ8-THC) | 5957-75-5 | 20 | 0.0800 | ND | ND |
| Δ9-Tetrahydrocannabinol (Δ9-THC) | 1972-08-3 | 20 | 0.0800 | ND | ND |
| Δ9-Tetrahydrocannabinolic acid (THCA) | 23978-85-0 | 20 | 0.0800 | 0.262 | 2.62 |
| Tetrahydrocannabivarin (THCV) | 31262-37-0 | 20 | 0.0800 | ND | ND |
| Tetrahydrocannabivarinic acid (THCVA) | 39986-26-0 | 20 | 0.0800 | ND | ND |

Definitions and Abbreviations:

Total CBD = CBD + (CBDA * 0.877), Total THC = Delta 9 THC + (Delta 9 THCA * 0.877), LOQ = Limit of Quantitation, ND = Non-Detect.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



PJLA Testing
 Accreditation#: 109150



Dr. Harry Behzadi, PhD.
 President, CEO



SOUR JKR 1G

Lab Sample Number: F502259-01 - Date reported: October 28, 2025

Pesticides

Pass

Date Prepared: 10/06/2025
 Date Analyzed: 10/07/2025
 Lab Batch: B25C009

Prep ID: TL
 Analyst ID: AJ

Sample Prep: 1.0088 g / 10 mL
 Instrument: LC-MS/MS

Analysis Method: ACCU LAB SOP18

| Analyte | Dil. | Action Limit ppb | LOQ ppb | Results ppb | Status |
|---------------------|------|---------------------|------------|----------------|--------|
| Abamectin | 10 | 100 | 5.0 | ND | Pass |
| Acephate | 10 | 100 | 5.0 | ND | Pass |
| Acequinocyl | 10 | 100 | 5.0 | ND | Pass |
| Acetamiprid | 10 | 100 | 5.0 | ND | Pass |
| Aldicarb | 10 | 100 | 5.0 | ND | Pass |
| Azoxystrobin | 10 | 100 | 5.0 | ND | Pass |
| Bifenazate | 10 | 100 | 5.0 | ND | Pass |
| Bifenthrin | 10 | 100 | 5.0 | ND | Pass |
| Boscalid | 10 | 100 | 5.0 | ND | Pass |
| Carbaryl | 10 | 500 | 5.0 | ND | Pass |
| Carbofuran | 10 | 100 | 5.0 | ND | Pass |
| Chlorantraniliprole | 10 | 1000 | 5.0 | ND | Pass |
| Chlorfenapyr | 10 | 100 | 5.0 | ND | Pass |
| Chlormequat | 10 | 1000 | 5.0 | ND | Pass |
| Chlorpyrifos | 10 | 100 | 5.0 | ND | Pass |
| Clofentezine | 10 | 200 | 5.0 | ND | Pass |
| Coumaphos | 10 | 100 | 5.0 | ND | Pass |
| Cyfluthrin | 10 | 500 | 5.0 | ND | Pass |
| Cypermethrin | 10 | 500 | 5.0 | ND | Pass |
| Daminozide | 10 | 100 | 5.0 | ND | Pass |
| Diazinon | 10 | 100 | 5.0 | ND | Pass |
| Dichlorvos | 10 | 100 | 5.0 | ND | Pass |
| Dimethoate | 10 | 100 | 5.0 | ND | Pass |
| Dimethomorph | 10 | 200 | 5.0 | ND | Pass |
| Ethoprophos | 10 | 100 | 5.0 | ND | Pass |
| Etofenprox | 10 | 100 | 5.0 | ND | Pass |
| Etoazole | 10 | 100 | 5.0 | ND | Pass |
| Fenhexamid | 10 | 100 | 5.0 | ND | Pass |
| Fenoxycarb | 10 | 100 | 5.0 | ND | Pass |
| Fenpyroximate | 10 | 100 | 5.0 | ND | Pass |
| Fipronil | 10 | 100 | 5.0 | ND | Pass |
| Flonicamid | 10 | 100 | 5.0 | ND | Pass |
| Fludioxonil | 10 | 100 | 5.0 | ND | Pass |
| Hexythiazox | 10 | 100 | 5.0 | ND | Pass |
| Imazalil | 10 | 100 | 5.0 | ND | Pass |
| Imidacloprid | 10 | 400 | 5.0 | ND | Pass |

| Analyte | Dil. | Action Limit ppb | LOQ ppb | Results ppb | Status |
|-----------------------|------|---------------------|------------|----------------|--------|
| Kresoxim methyl | 10 | 100 | 5.0 | ND | Pass |
| Malathion | 10 | 200 | 5.0 | ND | Pass |
| Metaxalyl | 10 | 100 | 5.0 | ND | Pass |
| Methiocarb | 10 | 100 | 5.0 | ND | Pass |
| Methomyl | 10 | 100 | 5.0 | ND | Pass |
| Mevinphos | 10 | 100 | 5.0 | ND | Pass |
| Myclobutanil | 10 | 100 | 5.0 | ND | Pass |
| Naled | 10 | 250 | 5.0 | ND | Pass |
| Oxamyl | 10 | 500 | 5.0 | ND | Pass |
| Paclobutrazol | 10 | 100 | 5.0 | ND | Pass |
| Permethrin | 10 | 100 | 5.0 | ND | Pass |
| Phosmet | 10 | 100 | 5.0 | ND | Pass |
| Piperonyl butoxide | 10 | 3000 | 5.0 | ND | Pass |
| Prallethrin | 10 | 100 | 5.0 | ND | Pass |
| Propiconazole | 10 | 100 | 5.0 | ND | Pass |
| Propoxur | 10 | 100 | 5.0 | ND | Pass |
| Pyrethrins | 10 | 500 | 5.0 | ND | Pass |
| Pyridaben | 10 | 200 | 5.0 | ND | Pass |
| Spinetoram J | 10 | 200 | 5.0 | ND | Pass |
| Spinetoram L | 10 | 200 | 5.0 | ND | Pass |
| Spinosyn A | 10 | 100 | 5.0 | ND | Pass |
| Spinosyn D | 10 | 100 | 5.0 | ND | Pass |
| Spiromesifen | 10 | 100 | 5.0 | ND | Pass |
| Spirotetramat | 10 | 100 | 5.0 | ND | Pass |
| Spiroxamine | 10 | 100 | 5.0 | ND | Pass |
| Tebuconazole | 10 | 100 | 5.0 | ND | Pass |
| Thiacloprid | 10 | 100 | 5.0 | ND | Pass |
| Thiamethoxam | 10 | 500 | 5.0 | ND | Pass |
| Trifloxystrobin | 10 | 100 | 5.0 | ND | Pass |
| Captan | 1 | 700 | 1200 | ND | Pass |
| Chlordane | 1 | 100 | 250 | ND | Pass |
| Chlorfenapyr | 1 | 100 | 250 | ND | Pass |
| Methyl parathion | 1 | 100 | 250 | ND | Pass |
| Pentachloronitrobenze | 1 | 150 | 250 | ND | Pass |

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



Accreditation#: 109150

Dr. Harry Behzadi, PhD.
 President, CEO



SOUR JKR 1G

Lab Sample Number: F502259-01 - Date reported: October 28, 2025

Mycotoxins

Pass

Date Prepared: 10/06/2025 **Extracted By:** TL **Sample Prep:** 1.0088 g / 10 mL
Date Analyzed: 10/07/2025 **Analyzed By:** AJ **Instrument:** LC-MS/MS
Lab Batch: B25C009 **Analysis Method:** ACCU LAB SOP18

| Analyte | CAS Number | Dil. | Action Limit ppb | LOQ ppb | Results ppb | Status |
|--------------|---------------------------|------|---------------------|------------|----------------|--------|
| Aflatoxin B1 | 1162-65-8 | 10 | 20 | 1.0 | ND | Pass |
| Aflatoxin B2 | 7220-81-7 | 10 | 20 | 1.0 | ND | Pass |
| Aflatoxin G1 | 1165-39-5 | 10 | 20 | 1.0 | ND | Pass |
| Aflatoxin G2 | 7241-98-7 | 10 | 20 | 1.0 | ND | Pass |
| Ochratoxin A | 303-47-9 | 10 | 20 | 1.0 | ND | Pass |

Definitions and Abbreviations:
 LOQ = Limit of Quantitation, Dil. = Dilution Factor, ppb = parts per billion, (ND) = Non-Detect.

Heavy Metals

Pass

Date Prepared: 10/04/2025 **Digested By:** KF **Sample Prep:** 1.03 g / 50 mL
Date Analyzed: 10/04/2025 **Analyzed By:** JG **Instrument:** ICP-MS
Lab Batch: B25C005 **Analysis Method:** ACCU LAB SOP19

| Analyte | CAS Number | Dil. | Action Limit ppb | LOQ ppb | Results ppb | Status |
|---------|---------------------------|------|---------------------|------------|----------------|--------|
| Arsenic | 7440-38-2 | 1 | 200 | 100 | ND | Pass |
| Cadmium | 7440-43-9 | 1 | 200 | 100 | ND | Pass |
| Lead | 7439-92-1 | 1 | 500 | 100 | ND | Pass |
| Mercury | 7439-97-6 | 1 | 200 | 100 | ND | Pass |

Definitions and Abbreviations:
 LOQ = Limit of Quantitation, Dil. = Dilution Factor, (ppb) = parts per billion, (ND) = Non-Detect.

Total Contaminant Load

| Total Contaminant Load | Action Limit ppb | Results ppb | Status |
|--|---------------------|----------------|--------|
| Total Contaminant Load - Pesticides & Herbicides | 5,000 | ND | Pass |
| Total Contaminant Load - Heavy Metals | 5,000 | ND | Pass |
| Total Contaminant Load - Overall Sum | 5,000 | ND | Pass |

Total Contaminant Load (TCL): The sum of all Heavy Metals and Agricultural Agents present above the LOQ.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.

SOUR JKR 1G

Lab Sample Number: F502259-01 - Date reported: October 28, 2025

Microbials

Pass

Date Prepared: 10/07/2025

Date Analyzed: 10/07/2025

Lab Batch: B25D021

Analysis Method: ACCU LAB SOP14 (Microbials Analysis)

| Analyte | Action Limit | Sample Prep | ID Prep/Analyst | Results | | | | Status |
|--------------------------|-----------------|-------------|-----------------|--------------|-----------------------|---------------------------|------------------|--------|
| | | | | LOQ CFU/g | Quantitation CFU/g | Quantitative Technique | PCR Detection | |
| Total Yeast and Mold | 100000 CFU/ 1 g | 1 g / 1 g | ES/ES | 10000 | ND | Plate | N/A | Pass |
| Aspergillus Flavus | 1 CFU/ 1 g | 1 g / 1 g | ES/ES | 1 | N/A | N/A | ND | Pass |
| Aspergillus Fumigatus | 1 CFU/ 1 g | 1 g / 1 g | ES/ES | 1 | N/A | N/A | ND | Pass |
| Aspergillus Niger | 1 CFU/ 1 g | 1 g / 1 g | ES/ES | 1 | N/A | N/A | ND | Pass |
| Aspergillus Terreus | 1 CFU/ 1 g | 1 g / 1 g | ES/ES | 1 | N/A | N/A | ND | Pass |
| E. coli specific gene | 1 CFU/ 1 g | 1 g / 1 g | ES/ES | 1 | N/A | N/A | ND | Pass |
| E. coli/shigella spp. | 1 CFU/ 1 g | 1 g / 1 g | ES/ES | 1 | N/A | N/A | ND | Pass |
| Salmonella specific gene | 1 CFU/ 1 g | 1 g / 1 g | ES/ES | 1 | N/A | N/A | ND | Pass |
| Stx1 gene | 1 CFU/ 1 g | 1 g / 1 g | ES/ES | 1 | N/A | N/A | ND | Pass |
| Stx2 gene | 1 CFU/ 1 g | 1 g / 1 g | ES/ES | 1 | N/A | N/A | ND | Pass |

Definitions and Abbreviations:

LOQ = Limit of Quantitation, (CFU/g) = Colony Forming Unit per gram, (ND) = Non-Detect.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.

SOUR JKR 1G

Lab Sample Number: F502259-01 - Date reported: October 28, 2025

Residual Solvents

Pass

Date Prepared: 09/23/2025
 Date Analyzed: 09/24/2025
 Lab Batch: B25I069

Prep ID: DH
 Analyst ID: DH

Sample Prep: 0.1167 g / 1 mL
 Instrument: Headspace GC-FID
 Analysis Method: ACCU LAB SOP16

| Analyte | CAS Number | DIL | Action Limit ppm | LOQ ppm | Results ppm | Status |
|--------------------|---------------------------|-----|---------------------|------------|----------------|--------|
| 1,1-Dichloroethene | 75-35-4 | 1 | 8 | 1.7 | ND | Pass |
| 1,2-Dichloroethane | 107-06-2 | 1 | 2 | 1.7 | ND | Pass |
| 2-Propanol (IPA) | 67-63-0 | 1 | 500 | 17 | ND | Pass |
| Acetone | 67-64-1 | 1 | 750 | 17 | 21 | Pass |
| Acetonitrile | 75-05-8 | 1 | 60 | 17 | ND | Pass |
| Benzene | 71-43-2 | 1 | 1 | 0.17 | ND | Pass |
| Butane | 106-97-8 | 1 | 5000 | 8.6 | ND | Pass |
| Chloroform | 67-66-3 | 1 | 2 | 1.7 | ND | Pass |
| Ethanol | 64-17-5 | 1 | 5000 | 860 | ND | Pass |
| Ethyl acetate | 141-78-6 | 1 | 400 | 1.7 | ND | Pass |
| Ethyl ether | 60-29-7 | 1 | 500 | 1.7 | ND | Pass |
| Ethylene oxide | 75-21-8 | 1 | 5 | 1.7 | ND | Pass |
| Methanol | 67-56-1 | 1 | 250 | 17 | 47 | Pass |
| Methylene chloride | 75-09-2 | 1 | 125 | 1.7 | ND | Pass |
| n-Heptane | 142-82-5 | 1 | 5000 | 1.7 | 2.2 | Pass |
| n-Hexane | 110-54-3 | 1 | 250 | 0.34 | ND | Pass |
| Pentane | 109-66-0 | 1 | 750 | 0.57 | ND | Pass |
| Propane | 74-98-6 | 1 | 5000 | 17 | ND | Pass |
| Toluene | 108-88-3 | 1 | 150 | 1.7 | ND | Pass |
| Total Xylenes | 1330-20-7 | 1 | 150 | 4.3 | ND | Pass |
| Trichloroethene | 79-01-6 | 1 | 25 | 1.7 | ND | Pass |

Definitions and Abbreviations:

LOQ = Limit of Quantitation, DIL = Dilution Factor (ppm) = parts per million, (ND) = Non-Detect.

Water Activity

Pass

Date Prepared: 09/21/2025
 Date Analyzed: 09/21/2025
 Lab Batch: B25C057

Prep ID: KF
 Analyst ID: TJ

Sample Prep: 0.5 g / 0.5 g
 Instrument: Rotronic Water Activity Probe
 Analysis Method: ACCU LAB SOP10

| Analyte | Action Limit A _w | Result A _w | Status |
|----------------|--------------------------------|--------------------------|--------|
| Water Activity | 0.65 | 0.33 | Pass |

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.