

**CZRZAL MLK 1G**

**Lab Sample Number: F502265-01 - Date reported: October 28, 2025**

**Client: RIP'd | HOS**

**Address: 1520 E Gary Road, Lakeland, FL 33801**

**Phone: (321) 795-7750**

**Project: RIP'd Indoor 10/25/2025**

**Permit Type: 448**

**Manufacturer Food Entity Number: 423320**

**Distributor Food Entity Number: 423320**

**Manufacturer Permit Number: 2026-R-2197557**

**Distributor Permit Number: 2026-R-2197557**

The current and valid permit number for the facility, issued by the appropriate state human health or food safety regulatory authority, is stated above. This permit documents and confirms that the facility meets the authority's human health or food safety sanitation requirements.

**Lab Sample Number: F502265-01**



**Date Sampled: 10/26/2025**

**Date Received: 09/06/2025**

**Compliance for Retail**

## SUMMARY



**THC & CBD**


**POTENCY**

**Tested**



**TERPENES**

**Not Tested**



**PESTICIDES**

**Pass**



**HEAVY METALS**

**Pass**




**RESIDUAL SOLVENTS**

**Pass**



**MICROBIAL TESTING**

**Pass**



**MYCOTOXINS**

**Pass**



**MOISTURE CONTENT**

**Not Tested**



**FOREIGN MATERIALS**

**Not Tested**



**WATER ACTIVITY**

**Pass**

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



**PJLA**  
Testing  
Accreditation#: 109150




**Dr. Harry Behzadi, PhD.**  
President, CEO



**CZRZAL MLK 1G**

**Lab Sample Number:** F502265-01 - **Date reported:** October 28, 2025

### Cannabinoids Summary Profile



**18.73%**  
**Total  
Cannabinoids**

**< LOQ**  
**Δ9-THC**

**0.257%**  
**Total THC**

**9.99%**  
**Total CBD**

**Definitions and Abbreviations:**

**Total CBD** = CBD + (CBDA \* 0.877), **Total THC** = Delta 9 THC + (Delta 9 THCA \* 0.877), **LOQ** = Limit of Quantitation, **ND** = Non-Detect.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.

**CZRZAL MLK 1G**

**Lab Sample Number: F502265-01 - Date reported: October 28, 2025**

## Potency (as Received)

**Tested**

**Date Prepared:** 09/27/2025  
**Date Analyzed:** 09/27/2025  
**Lab Batch:** B25B067

**Prep ID:** TL  
**Analyst ID:** DH

**Sample Prep:** 1.0048 g / 10 mL  
**Prep/Analysis Method:** ACCU LAB SOP15  
**Instrument:** HPLC-DAD

| Analyte                                      | CAS Number                  | Dilution | LOQ %  | Results       |              |
|----------------------------------------------|-----------------------------|----------|--------|---------------|--------------|
|                                              |                             |          |        | % wet         | mg/g         |
| <b>Cannabichromene (CBC)</b>                 | <a href="#">20675-51-8</a>  | 20       | 0.0800 | <b>0.252</b>  | <b>2.52</b>  |
| <b>Cannabichromenic acid (CBCA)</b>          | <a href="#">185505-15-1</a> | 20       | 0.0800 | <b>0.0991</b> | <b>0.991</b> |
| <b>Cannabidiol (CBD)</b>                     | <a href="#">13956-29-1</a>  | 200      | 0.800  | <b>9.99</b>   | <b>99.9</b>  |
| Cannabidiolic acid (CBDA)                    | <a href="#">1244-58-2</a>   | 20       | 0.0800 | ND            | ND           |
| Cannabidivarin (CBDV)                        | <a href="#">24274-48-4</a>  | 20       | 0.0800 | ND            | ND           |
| Cannabidivarinic acid (CBDVA)                | <a href="#">31932-13-5</a>  | 20       | 0.0800 | ND            | ND           |
| <b>Cannabigerol (CBG)</b>                    | <a href="#">25654-31-3</a>  | 20       | 0.0800 | <b>1.39</b>   | <b>13.9</b>  |
| <b>Cannabigerolic acid (CBGA)</b>            | <a href="#">25555-57-1</a>  | 200      | 0.800  | <b>6.71</b>   | <b>67.1</b>  |
| Cannabinol (CBN)                             | <a href="#">521-35-7</a>    | 20       | 0.0800 | ND            | ND           |
| Δ8-Tetrahydrocannabinol (Δ8-THC)             | <a href="#">5957-75-5</a>   | 20       | 0.0800 | ND            | ND           |
| Δ9-Tetrahydrocannabinol (Δ9-THC)             | <a href="#">1972-08-3</a>   | 20       | 0.0800 | ND            | ND           |
| <b>Δ9-Tetrahydrocannabinolic acid (THCA)</b> | <a href="#">23978-85-0</a>  | 20       | 0.0800 | <b>0.293</b>  | <b>2.93</b>  |
| Tetrahydrocannabivarin (THCV)                | <a href="#">31262-37-0</a>  | 20       | 0.0800 | ND            | ND           |
| Tetrahydrocannabivarinic acid (THCVA)        | <a href="#">39986-26-0</a>  | 20       | 0.0800 | ND            | ND           |

**Definitions and Abbreviations:**

**Total CBD** = CBD + (CBDA \* 0.877), **Total THC** = Delta 9 THC + (Delta 9 THCA \* 0.877), **LOQ** = Limit of Quantitation, **ND** = Non-Detect.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.

## CZRZAL MLK 1G

**Lab Sample Number: F502265-01 - Date reported: October 28, 2025**

### Pesticides

Pass

**Date Prepared:** 10/06/2025

**Prep ID:** TL

**Sample Prep:** 1.0048 g / 10 mL

**Date Analyzed:** 10/11/2025

**Analyst ID:** AJ

**Instrument:** LC-MS/MS

**Lab Batch:** B25C009

**Analysis Method:** ACCU LAB SOP18

| Analyte             | Dil. | Action Limit<br>ppb | LOQ<br>ppb | Results<br>ppb | Status |
|---------------------|------|---------------------|------------|----------------|--------|
| Abamectin           | 10   | 100                 | 5.0        | ND             | Pass   |
| Acephate            | 10   | 100                 | 5.0        | ND             | Pass   |
| Acequinocyl         | 10   | 100                 | 5.0        | ND             | Pass   |
| Acetamiprid         | 10   | 100                 | 5.0        | ND             | Pass   |
| Aldicarb            | 10   | 100                 | 5.0        | ND             | Pass   |
| Azoxystrobin        | 10   | 100                 | 5.0        | ND             | Pass   |
| Bifenazate          | 10   | 100                 | 5.0        | ND             | Pass   |
| Bifenthrin          | 10   | 100                 | 5.0        | ND             | Pass   |
| Boscalid            | 10   | 100                 | 5.0        | ND             | Pass   |
| Carbaryl            | 10   | 500                 | 5.0        | ND             | Pass   |
| Carbofuran          | 10   | 100                 | 5.0        | ND             | Pass   |
| Chlorantraniliprole | 10   | 1000                | 5.0        | ND             | Pass   |
| Chlorfenapyr        | 10   | 100                 | 5.0        | ND             | Pass   |
| Chlormequat         | 10   | 1000                | 5.0        | ND             | Pass   |
| Chlorpyrifos        | 10   | 100                 | 5.0        | ND             | Pass   |
| Clofentezine        | 10   | 200                 | 5.0        | ND             | Pass   |
| Coumaphos           | 10   | 100                 | 5.0        | ND             | Pass   |
| Cyfluthrin          | 10   | 500                 | 5.0        | ND             | Pass   |
| Cypermethrin        | 10   | 500                 | 5.0        | ND             | Pass   |
| Daminozide          | 10   | 100                 | 5.0        | ND             | Pass   |
| Diazinon            | 10   | 100                 | 5.0        | ND             | Pass   |
| Dichlorvos          | 10   | 100                 | 5.0        | ND             | Pass   |
| Dimethoate          | 10   | 100                 | 5.0        | ND             | Pass   |
| Dimethomorph        | 10   | 200                 | 5.0        | ND             | Pass   |
| Ethoprophos         | 10   | 100                 | 5.0        | ND             | Pass   |
| Etofenprox          | 10   | 100                 | 5.0        | ND             | Pass   |
| Etoxazole           | 10   | 100                 | 5.0        | ND             | Pass   |
| Fenhexamid          | 10   | 100                 | 5.0        | ND             | Pass   |
| Fenoxycarb          | 10   | 100                 | 5.0        | ND             | Pass   |
| Fenpyroximate       | 10   | 100                 | 5.0        | ND             | Pass   |
| Fipronil            | 10   | 100                 | 5.0        | ND             | Pass   |
| Flonicamid          | 10   | 100                 | 5.0        | ND             | Pass   |
| Fludioxonil         | 10   | 100                 | 5.0        | ND             | Pass   |
| Hexythiazox         | 10   | 100                 | 5.0        | ND             | Pass   |
| Imazalil            | 10   | 100                 | 5.0        | ND             | Pass   |
| Imidacloprid        | 10   | 400                 | 5.0        | ND             | Pass   |

| Analyte               | Dil. | Action Limit<br>ppb | LOQ<br>ppb | Results<br>ppb | Status |
|-----------------------|------|---------------------|------------|----------------|--------|
| Kresoxim methyl       | 10   | 100                 | 5.0        | ND             | Pass   |
| Malathion             | 10   | 200                 | 5.0        | ND             | Pass   |
| Metaxalyl             | 10   | 100                 | 5.0        | ND             | Pass   |
| Methiocarb            | 10   | 100                 | 5.0        | ND             | Pass   |
| Methomyl              | 10   | 100                 | 5.0        | ND             | Pass   |
| Mevinphos             | 10   | 100                 | 5.0        | ND             | Pass   |
| Myclobutanil          | 10   | 100                 | 5.0        | ND             | Pass   |
| Naled                 | 10   | 250                 | 5.0        | ND             | Pass   |
| Oxamyl                | 10   | 500                 | 5.0        | ND             | Pass   |
| Paclobutrazol         | 10   | 100                 | 5.0        | ND             | Pass   |
| Permethrin            | 10   | 100                 | 5.0        | ND             | Pass   |
| Phosmet               | 10   | 100                 | 5.0        | ND             | Pass   |
| Piperonyl butoxide    | 10   | 3000                | 5.0        | ND             | Pass   |
| Prallethrin           | 10   | 100                 | 5.0        | ND             | Pass   |
| Propiconazole         | 10   | 100                 | 5.0        | ND             | Pass   |
| Propoxur              | 10   | 100                 | 5.0        | ND             | Pass   |
| Pyrethrins            | 10   | 500                 | 5.0        | ND             | Pass   |
| Pyridaben             | 10   | 200                 | 5.0        | ND             | Pass   |
| Spinetoram J          | 10   | 200                 | 5.0        | ND             | Pass   |
| Spinetoram L          | 10   | 200                 | 5.0        | ND             | Pass   |
| Spinosyn A            | 10   | 100                 | 5.0        | ND             | Pass   |
| Spinosyn D            | 10   | 100                 | 5.0        | ND             | Pass   |
| Spiromesifen          | 10   | 100                 | 5.0        | ND             | Pass   |
| Spirotetramat         | 10   | 100                 | 5.0        | ND             | Pass   |
| Spiroxamine           | 10   | 100                 | 5.0        | ND             | Pass   |
| Tebuconazole          | 10   | 100                 | 5.0        | ND             | Pass   |
| Thiacloprid           | 10   | 100                 | 5.0        | ND             | Pass   |
| Thiamethoxam          | 10   | 500                 | 5.0        | ND             | Pass   |
| Trifloxystrobin       | 10   | 100                 | 5.0        | ND             | Pass   |
| Captan                | 1    | 700                 | 1200       | ND             | Pass   |
| Chlordane             | 1    | 100                 | 250        | ND             | Pass   |
| Chlorfenapyr          | 1    | 100                 | 250        | ND             | Pass   |
| Methyl parathion      | 1    | 100                 | 250        | ND             | Pass   |
| Pentachloronitrobenze | 1    | 150                 | 250        | ND             | Pass   |

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.

**CZRZAL MLK 1G****Lab Sample Number:** F502265-01 - **Date reported:** October 28, 2025**Mycotoxins****Pass****Date Prepared:** 10/06/2025**Extracted By:** TL**Sample Prep:** 1.0048 g / 10 mL**Date Analyzed:** 10/11/2025**Analyzed By:** AJ**Instrument:** LC-MS/MS**Lab Batch:** B25C009**Analysis Method:** ACCU LAB SOP18

| Analyte      | CAS Number                | Dil. | Action Limit<br>ppb | LOQ<br>ppb | Results<br>ppb | Status |
|--------------|---------------------------|------|---------------------|------------|----------------|--------|
| Aflatoxin B1 | <a href="#">1162-65-8</a> | 10   | 20                  | 1.0        | ND             | Pass   |
| Aflatoxin B2 | <a href="#">7220-81-7</a> | 10   | 20                  | 1.0        | ND             | Pass   |
| Aflatoxin G1 | <a href="#">1165-39-5</a> | 10   | 20                  | 1.0        | ND             | Pass   |
| Aflatoxin G2 | <a href="#">7241-98-7</a> | 10   | 20                  | 1.0        | ND             | Pass   |
| Ochratoxin A | <a href="#">303-47-9</a>  | 10   | 20                  | 1.0        | ND             | Pass   |

**Definitions and Abbreviations:**LOQ = Limit of Quantitation, Dil. = Dilution Factor, **ppb** = parts per billion, **(ND)** = Non-Detect.**Heavy Metals****Pass****Date Prepared:** 10/04/2025**Digested By:** KF**Sample Prep:** 1.05 g / 50 mL**Date Analyzed:** 10/04/2025**Analyzed By:** JG**Instrument:** ICP-MS**Lab Batch:** B25C005**Analysis Method:** ACCU LAB SOP19

| Analyte | CAS Number                | Dil. | Action Limit<br>ppb | LOQ<br>ppb | Results<br>ppb | Status |
|---------|---------------------------|------|---------------------|------------|----------------|--------|
| Arsenic | <a href="#">7440-38-2</a> | 1    | 200                 | 100        | ND             | Pass   |
| Cadmium | <a href="#">7440-43-9</a> | 1    | 200                 | 100        | ND             | Pass   |
| Lead    | <a href="#">7439-92-1</a> | 1    | 500                 | 100        | ND             | Pass   |
| Mercury | <a href="#">7439-97-6</a> | 1    | 200                 | 100        | ND             | Pass   |

**Definitions and Abbreviations:**LOQ = Limit of Quantitation, Dil. = Dilution Factor, **(ppb)** = parts per billion, **(ND)** = Non-Detect.**Total Contaminant Load**

| Total Contaminant Load                           | Action Limit<br>ppb | Results<br>ppb | Status |
|--------------------------------------------------|---------------------|----------------|--------|
| Total Contaminant Load - Pesticides & Herbicides | 5,000               | ND             | Pass   |
| Total Contaminant Load - Heavy Metals            | 5,000               | ND             | Pass   |
| Total Contaminant Load - Overall Sum             | 5,000               | ND             | Pass   |

**Total Contaminant Load (TCL):** The sum of all Heavy Metals and Agricultural Agents present above the LOQ.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.

**CZRZAL MLK 1G**

**Lab Sample Number: F502265-01 - Date reported: October 28, 2025**

## Microbials

Pass

**Date Prepared:** 10/07/2025

**Date Analyzed:** 10/07/2025

**Lab Batch:** B25D021

**Analysis Method:** ACCU LAB SOP14 (Microbials Analysis)

| Analyte                  | Action Limit    | Sample Prep | ID Prep/ Analyst | Results      |                       |                           |                  | Status |
|--------------------------|-----------------|-------------|------------------|--------------|-----------------------|---------------------------|------------------|--------|
|                          |                 |             |                  | LOQ<br>CFU/g | Quantitation<br>CFU/g | Quantitative<br>Technique | PCR<br>Detection |        |
| Total Yeast and Mold     | 100000 CFU/ 1 g | 1 g / 1 g   | ES/ES            | 10000        | ND                    | Plate                     | N/A              | Pass   |
| Aspergillus Flavus       | 1 CFU/ 1 g      | 1 g / 1 g   | ES/ES            | 1            | N/A                   | N/A                       | ND               | Pass   |
| Aspergillus Fumigatus    | 1 CFU/ 1 g      | 1 g / 1 g   | ES/ES            | 1            | N/A                   | N/A                       | ND               | Pass   |
| Aspergillus Niger        | 1 CFU/ 1 g      | 1 g / 1 g   | ES/ES            | 1            | N/A                   | N/A                       | ND               | Pass   |
| Aspergillus Terreus      | 1 CFU/ 1 g      | 1 g / 1 g   | ES/ES            | 1            | N/A                   | N/A                       | ND               | Pass   |
| E. coli specific gene    | 1 CFU/ 1 g      | 1 g / 1 g   | ES/ES            | 1            | N/A                   | N/A                       | ND               | Pass   |
| E. coli/shigella spp.    | 1 CFU/ 1 g      | 1 g / 1 g   | ES/ES            | 1            | N/A                   | N/A                       | ND               | Pass   |
| Salmonella specific gene | 1 CFU/ 1 g      | 1 g / 1 g   | ES/ES            | 1            | N/A                   | N/A                       | ND               | Pass   |
| Stx1 gene                | 1 CFU/ 1 g      | 1 g / 1 g   | ES/ES            | 1            | N/A                   | N/A                       | ND               | Pass   |
| Stx2 gene                | 1 CFU/ 1 g      | 1 g / 1 g   | ES/ES            | 1            | N/A                   | N/A                       | ND               | Pass   |

**Definitions and Abbreviations:**

**LOQ** = Limit of Quantitation, **(CFU/g)** = Colony Forming Unit per gram, **(ND)** = Non-Detect.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.

**CZRZAL MLK 1G**

**Lab Sample Number: F502265-01 - Date reported: October 28, 2025**

## Residual Solvents

Pass

**Date Prepared:** 09/23/2025

**Prep ID:** DH

**Sample Prep:** 0.1017 g / 1 mL

**Date Analyzed:** 09/24/2025

**Analyst ID:** DH

**Instrument:** Headspace GC-FID

**Lab Batch:** B25I069

**Analysis Method:** ACCU LAB SOP16

| Analyte            | CAS Number                | DIL | Action Limit<br>ppm | LOQ<br>ppm | Results<br>ppm | Status |
|--------------------|---------------------------|-----|---------------------|------------|----------------|--------|
| 1,1-Dichloroethene | <a href="#">75-35-4</a>   | 1   | 8                   | 2.0        | ND             | Pass   |
| 1,2-Dichloroethane | <a href="#">107-06-2</a>  | 1   | 2                   | 2.0        | ND             | Pass   |
| 2-Propanol (IPA)   | <a href="#">67-63-0</a>   | 1   | 500                 | 20         | ND             | Pass   |
| <b>Acetone</b>     | <a href="#">67-64-1</a>   | 1   | 750                 | 20         | <b>25</b>      | Pass   |
| Acetonitrile       | <a href="#">75-05-8</a>   | 1   | 60                  | 20         | ND             | Pass   |
| Benzene            | <a href="#">71-43-2</a>   | 1   | 1                   | 0.20       | ND             | Pass   |
| Butane             | <a href="#">106-97-8</a>  | 1   | 5000                | 9.8        | ND             | Pass   |
| Chloroform         | <a href="#">67-66-3</a>   | 1   | 2                   | 2.0        | ND             | Pass   |
| Ethanol            | <a href="#">64-17-5</a>   | 1   | 5000                | 980        | ND             | Pass   |
| Ethyl acetate      | <a href="#">141-78-6</a>  | 1   | 400                 | 2.0        | ND             | Pass   |
| Ethyl ether        | <a href="#">60-29-7</a>   | 1   | 500                 | 2.0        | ND             | Pass   |
| Ethylene oxide     | <a href="#">75-21-8</a>   | 1   | 5                   | 2.0        | ND             | Pass   |
| <b>Methanol</b>    | <a href="#">67-56-1</a>   | 1   | 250                 | 20         | <b>46</b>      | Pass   |
| Methylene chloride | <a href="#">75-09-2</a>   | 1   | 125                 | 2.0        | ND             | Pass   |
| <b>n-Heptane</b>   | <a href="#">142-82-5</a>  | 1   | 5000                | 2.0        | <b>2.4</b>     | Pass   |
| n-Hexane           | <a href="#">110-54-3</a>  | 1   | 250                 | 0.39       | ND             | Pass   |
| Pentane            | <a href="#">109-66-0</a>  | 1   | 750                 | 0.66       | ND             | Pass   |
| Propane            | <a href="#">74-98-6</a>   | 1   | 5000                | 20         | ND             | Pass   |
| Toluene            | <a href="#">108-88-3</a>  | 1   | 150                 | 2.0        | ND             | Pass   |
| Total Xylenes      | <a href="#">1330-20-7</a> | 1   | 150                 | 4.9        | ND             | Pass   |
| Trichloroethene    | <a href="#">79-01-6</a>   | 1   | 25                  | 2.0        | ND             | Pass   |

**Definitions and Abbreviations:**

**LOQ** = Limit of Quantitation, **DIL** = Dilution Factor (**ppm**) = parts per million, (**ND**) = Non-Detect.

## Water Activity

Pass

**Date Prepared:** 09/21/2025

**Prep ID:** KF

**Sample Prep:** 0.5 g / 0.5 g

**Date Analyzed:** 09/21/2025

**Analyst ID:** TJ

**Instrument:** Rotronic Water Activity Probe

**Lab Batch:** B25C057

**Analysis Method:** ACCU LAB SOP10

| Analyte        | Action Limit<br>$A_w$ | Result<br>$A_w$ | Status |
|----------------|-----------------------|-----------------|--------|
| Water Activity | 0.65                  | 0.33            | Pass   |

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.